



MODELLO	ANNO	76 Basic	36 / 3610 76 / 7610 or	7610-SP8 Corpo ,Molla e Cappello Cromati	7610-SP14 Corpo e Molla Neri	7610-SP15 Corpo ,Molla, Cappello Sup.+ Inferiore Cromati	7610-SP16 Corpo ,Molla e Cappello Neri	7610-SP17 Corpo ,Molla e Cappello Cromati	3214/7613/7614	NOTE	MOLLE FORCELLA
APRILIA											
Atlantic 500	02-06										
Pegaso 650			3610-1055								
Scarabeo 150, 200, 250	02-06								7613-1003	single shock models without under seat storage.	
Scarabeo 200	09-10										
Sport City Cube 300	10		7610-1662								
Scarabeo 500	07-11		7610-1629								
ETV 1000 Capanord			3610-1090								
BENELLI											
Benelli											
2502C	73-86	76-3008	7610-1330								
250 Quattro and 254	78-84	76-3000	7610-1250SP4								
350 and 354	79-85	76-3003	7610-1282SP10								
350 Quattro	79-85	76-3000	7610-1250SP4								
350 RS	78-81	76-3000	7610-1250SP4								
500 Quattro	73-77	76-3000	7610-1250SP4								
500 LS	80-82	76-3003	7610-1282SP10								
504	80-83	76-3003	7610-1282SP10								
650 Quattro	77-79	76-3001	7610-1250SP5								
650 Tornado S	72-76	76-3001	7610-1250SP5								
654 / Sport	80-85	76-3003	7610-1282SP10								
654T	85-86	76-3003	7610-1282SP10								
750 Sei	74-79	76-3001	7610-1250SP5								
900 Sei	78-89	76-3013	7610-1418								
BMW											
F650	94-00		3610-1068								
F650GS	00-09		3610-1068								
K75, K75C ,K75S	85-95		3610-1009								
K75RT	89-97		3610-1009								
K100, K100LT, K100RT	83-91		3610-1009								
K100RS	84-89		3610-1009								
K75, K100 models as above LOWERED			3610-1007							Ribassato, 325mm	
K1	88-93		3610-1008								
K100RS, paralever	90-93		3610-1008								
K1100RS, K1100LT	93-98		3610-1008								
K1200LT	99-		3610-1076								
K1200GT front	04								3214-1006		
K1200GT			3610-1088								
K1200RS	97-05		3610-1016								
R26 front	55-69		76-1290							usa la molla originale	
R26 rear	55-69		76-1291							usa la molla originale	
R45	78-85	76-3015	7610-1427								
R50 front	55-69		76-1290							usa la molla originale	
R50 rear	55-69		76-1291							usa la molla originale	
R50/5	69-73	76-3005	7610-1298							Disponibili con i coperchi superiori * Replica":- 70 19 54 127 0	
R60 front	55-69		76-1290							usa la molla originale	
R60 rear	55-69		76-1291							usa la molla originale	
R60/5	69-73	76-3005	7610-1298							Disponibili con i coperchi superiori * Replica":- 70 19 54 127 0	
R60/6	73-76	76-3005	7610-1298							Disponibili con i coperchi superiori * Replica":- 70 19 54 127 0	
R60/7	77-84	76-3005	7610-1298								
R65/ LS	78-85	76-3015	7610-1427								
R65	96-93		3610-1020							mono 408mm	
R69S front	55-69		76-1290							usa la molla originale	
R69S rear	55-69		76-1291							usa la molla originale	
R75/5	69-73	76-3005	7610-1298							Disponibili con i coperchi superiori * Replica":- 70 19 54 127 0	500-084
R75/6	73-76	76-3005	7610-1298							Disponibili con i coperchi superiori * Replica":- 70 19 54 127 0	500-084 500-084
R75/7	77-84	76-3005	7610-1298								
R80G/S	81-86		3610-1005								
R80GS	88-97		3610-1022								
R80RT/7	77-84	76-3005	7610-1298								
R80 / R80RT	85-95		3610-1020							mono 408mm	
R80 ST	82-84		3610-1081								
R90/6 and 6S	73-76	76-3005	7610-1298							Replica billet aluminium covers also available for 7610's:- 70 19 54 102 0	500-084
R100GS / Paris Dakar (93-96)	88-96		3610-1022								
R100 / CS / RS / RT / S / 7	77-84	76-3005	7610-1298								500-084
R100 / R100RS	87-96		3610-1020							mono 408mm	
R100 / R100RT / Classic	87-95		3610-1020							mono 408mm	
R100R	91-96		3610-1021								
R850GS rear	00-01		3610-1080								
R850R front	95-01								3214-1001		
R850R rear	95-01		3610-1016								
R1100GS front	94-00								3214-1001		
R1100GS rear	94-00		3610-1080								
R1100R, RS, RT front	93-02								3214-1001		
R1100R, RS, RT rear	93-02		3610-1016								
R1100RT rear	06		3610-1016								
R1100S front									3214-1001		
R1100S rear	98-05		3610-1044								
R1150GS front	99-05								3214-1012		
R1150GS rear	99-05		3610-1045								
R1150GSA front	02-05								3214-1011		
R1150RT rear	01-05		3610-1042								
R1200C front									3214-1002		
R1200C rear	97-02		3610-1032								
R1200GS									3214-1010		
R1200RT front	05-								3214-1001		
BSA											
Rocket 3 750			7610-1283+ spring ordered separately 250-19/29/42 (222)							conventional use, for solo use see*	
*for solo use only on this model use:			7610-1283+ spring ordered separately 250-15/21/28 (215)								
A65 various including Lightning	70-71	76-3002	7610-1282SP6							13" shock models	
A65 various including Lightning	72	76-3001	7610-1250SP5							12.5" shock models	
B44 Shooting Star and Victor	65-70	76-3002	7610-1282SP6							conventional use, for solo use see*	
B44 Shooting Star and Victor	65-70	76-3003	7610-1282SP10							has lighter spring than the SP6	
B40 - 13" shocks		76-3003	7610-1282SP10							CHANGE BOTTOM BUSH TO CODE 180	
B25SS, B25R Gold Star, B25T Victor	70-72	76-3003	7610-1282SP10								
B50SS, B50R Gold Star, B50T Victor	70-72	76-3003	7610-1282SP10								
BUELL											
M2 Cyclone			3610-1071								
CAGIVA											
350 Ala Verde	85-87		7610-1419								

650 Ala Zurra	87-88		7610-1419									
CAM AM												
Spyder (front)	-09									7613-1005		
Spyder (rear)	-09		3610-1014									
Spyder (rear) RT			3610-1084									
Spyder (front) RT Limited	14-									7613-1006		
DUCATI												
250/350/450 Mk3 and Desmo and Scrambler	upto-76	76-3008	7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		3214-1330			
Scrambler Sixty2 400cc	16		3610-1098									
500LD/SL Pantah	78-85	76-3008	7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		3214-1330			
600TL/SL Pantah	81-85	76-3008	7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		3214-1330			
650SL Pantah	85-86	76-3008	7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		3214-1330			
696 Monster	08-12		3610-1057									
750GT / Sport	72-75	76-3008	7610-1330	7610-1330SP8	7610-1330SP14		7610-1330SP16		3214-1330	Some earlier listings have shown 7610-1418.		
750 / Super Sport	72-76	76-3001	7610-1250SP5						3214-1250SP5			
750 Super Sport	97		3610-1067									
750 Indiana	89-90	76-3011	7610-1397									
Scrambler 800cc	14-16		3610-1098									
860 GTT / GTS	75-79	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418			
900 GTS	75-79	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418			
900SD Darmah	78-85	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418			
900SD/SS Darmah	75-77	76-3001	7610-1250SP5									
900SS	78-82	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418	Some riders may prefer the shorter 7610-1330 on this model.		
900 Replica	79-84	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418			
900S2 Desmo	83-85	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16		3214-1418			
900 S (Sport)	88-89		3610-1079									
1000S2 Desmo	83-85	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16					
1000 Bipoato Sport	06-09								7614-2005, 3214-2005			
GT1000	06-09								7614-2005, 3214-2005			
GILERA												
Fuoco 500 scooter, rear shocks			7610-1621									
HARLEY-DAVIDSON												
This background denotes our standard height option/s												
Softail												
FLST, FXST	84-88		36-1002							Re-use original springs, covers and piston rod attachment		
FLST, FXST	89-11		36-1001							Re-use original springs, covers and piston rod attachment		
Sportsters												
All Sportsters, eg KH, KH K900	52-72		76-1336							Old number 76-1336		
All Sportsters, eg XL CR, XLH1000, XLS1000 Roadster	77-87	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17				
XL, XLH, XLCH 1000	57-78		76-1336							Old number 76-1336		
XLH 883 Sportster	84-87	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17				
XLH 883 Sportster / Sportster Deluxe	88-83	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		approx. standard height		
XLH 883 Sportster / Sportster Deluxe	88-83	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XLH 883 Sportster/ Sportster Deluxe-Extra heavy duty	88-93	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XLH 883 Sportster / Sportster Deluxe = 13"shock	94-05	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17	7614-1528	approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.		
XLH 883 Sportster / Sportster Deluxe= 13" shock	94-05	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601			
XLH 883 Sportster / Sportster Deluxe = 12" shock	94-05	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XLH 883 Sportster / Sportster Deluxe-Extra heavy duty = 12"shock	94-05	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XL 883, XL 883R Sportster	04-09	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard height 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.		
XL 883, XL 883R Sportster-Extra heavy duty	04-09	76-3035	7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	7614-1601			
XL50, 1200 Anniversary Sportster	07	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		approx. standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.		
XL50, 1200 Anniversary Sportster-Extra heavy duty	07	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601			
XL50, 1200 Anniversary Sportster	07	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XL50, 1200 Anniversary Sportster-Extra heavy duty	07	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XL53C Sportster Custom	99-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XL53C Sportster Custom-Extra heavy duty	99-03	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XLH83C Sportster Custom	99-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XLH83C Sportster Custom-Extra heavy duty	99-03	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XL883C Sportster Custom	04-10	76-3039	7610-1622	76101-622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17				
XLH883 Sportster Hugger	88-91	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17				
XLH883 Sportster Hugger	92-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 40mm		
XLH883 Sportster Hugger	92-03	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		12" shock lowers bike approx. 40mm for riders or loads above 95kg		
XL883R Sportster "Flat-Track"	02-03		tbid									
XL883 C&L	07-11	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL883L Super Low (oe seat height approx 695mm)	12-15	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17				
XL883N Iron (USA)	10-14	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		295mm		
XL883N Iron (USA)	15		7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17				
XL883N Iron (Australia-Europe) (oe seat height approx 735mm)	10-14	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		330mm		
XL883R	06-15	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17				
XLH1200 Sportster	88-93	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		approx. standardheight		
XLH1200 Sportster	88-93	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12"shocklowersbikeapprox.40mm		
XLH1200 Sportster	88-93	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17				
XLH1200 Sportster	94-03	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard height. 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.		
XLH1200 Sportster	94-03	76-3035	7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	7614-1601			
XLH1200 Sportster	94-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		12" shock lowers bike approx. 25mm		
XLH1200 Sportster	94-03	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17				
XL1200S Sportster Sport	96-03	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		standard height		
XL1200S Sportster Sport	96-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		lowers bike approx. 40mm		
XL1200C Sportster Custom	96-03	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		7610-1617SP8 has a stronger spring fitted		
XL1200C Sportster Custom	96-03	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		Stronger springs fitted for heavier duty application such as loads above 95kg.		
XL1200C Sportster Custom (oe seat height 710mm)	04-15	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL1200C CA and CB Sportster Custom	13	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL1200C ANV, Anniversary	13	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL1200 L	07-11	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL1200N Nightster	07-12*		7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17		*2009-2012 models in Australia have a 13.25" (335mm) shock as original. For those models can use 7610-1528 or any other of the common Harley units such as 7610-1513, 7610-1539 or their heavier duty equivalents.		
XL1200R Sportster Roadster	04-08	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		approx. standardheight. 7610-1601/SP8isforheaviedutyapplications. eg regular/loads above95kg.		
XL1200R Sportster Roadster	04-08	76-3035	7610-1601	7610-1601SP8	76101601SP14		7610-1601SP16	7610-1601SP17	7614-1601			
XL1200T Sportster SuperLow	14											
XL1200 V Seventy-Two (oe seat height approx 710mm)	12-15	76-3039	7610-1622	7610-1622SP8	7610-1622SP14		7610-1622SP16	7610-1622SP17		Standard units 292mm. The ikon unit 295mm and may lift the rear fractionally.		
XL1200X 478 Forty-Eight (oe seat height approx 710mm)	12-15	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		MODELS AS SOLD WITH 12" SHOCKS FITTED (eg Australia), 7610-1617/SP8/SP14 are for heavier loads comonly above 95kg.		
XL1200X 478 Forty-Eight (oe seat height approx 710mm)	12-15	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17				

XL1200X 478 Forty-Eight	12-15		7610-1649	7610-1649SP8	7610-1649SP14		7610-1649SP16	7610-1649SP17		MODELS AS SOLD WITH 11" SHOCKS FITTED (eg USA)	
XR1000	83-84	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17			
XR1200	08-10	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17			
Dyna											
FLD Switchback (oe seat height approx 695mm)	12-16	76-3030	7610-1536	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXD 35	06-08	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		standard height	
FXD 35 - Lowered	06-08	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bikes approx. 25mm	
FXDI 1340, 1450 & 1584 Dyna Super Glide	95-09	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		standard height	
FXDI 1340, 1450 & 1584 Dyna Super Glide - Lowered	95-09	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bikes approx. 25mm	
FXDI1340 Dyna Glide Daytona	92-95	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXDB1450 & 1584 Dyna Street Bob (oe seat height approx 680mm)	06-16	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXDI1340 Dyna Custom	91-92	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXDICI inc Dyna Super Glide Custom	95-09		7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		standard height	
FXDICI inc Dyna Super Glide Custom	95-09	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bikes approx. 25mm	
FXDICI inc Dyna Super Glide Custom & Anniversary edition (oe seat approx height 710mm)	11-14	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXDI Dyna Fat Bob (oe seat height approx 690mm)	06-16	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17			
FXDL1340 & 1450 Dyna Low Rider	93-00	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		standard height	
FXDLI 1340 & 1450 Dyna Low Rider	93-00	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bikes approx. 25mm	
FXDLI 1340 & 1584 Dyna Low Rider	01-09	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		Harley model references end this model in 2009.	
FXDL	14-16	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		Model re-introduced in May 2014	
FXDSC 1340 & 1450 Dyna Convertible	94-00	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		lowers bikes approx. 10mm	
FXDSC 1340 & 1450 Dyna Convertible - Lowered	94-00	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bikes approx. 35mm	
FXDWG11 1340, 1450 & 1584 Dyna Wide Glide	93-08	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		standard height	
FXDWG11 1340, 1450 & 1584 Dyna Wide Glide - Lowered	93-08	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowersbikeapprox.25mm	
FXDWG Dyna Wide Glide (oe seat height approx 680mm)	10-16	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		Available from late 2009 this model has 49mm forks and lowered front and rear suspension as standard	
FXDX 1450 Dyna Super Glide Sport	1999	76-3045	7610-1527	7610-1527SP8	7610-1527SP14	7610-1527SP15	7610-1527SP16	7610-1527SP17		lowers bike approx. 10mm	
FXDX1450 Dyna Super Glide Sport	1999	76-3030	7610-1535	7610-1535SP8	7610-1535SP14	7610-1535SP15	7610-1535SP16	7610-1535SP17		lowers bike approx. 35mm	
FXDX1450 Dyna Super Glide Sport	00-05		7610-1639	7610-1639SP8	7610-1639SP14		7610-1639SP16	7610-1639SP17		13" (330mm unit)	
FXDX1450 Dyna Super Glide T-Sport	01-05		7610-1639	7610-1639SP8	7610-1639SP14		7610-1639SP16	7610-1639SP17		13" (330mm unit)	
All DYNA models 11" extra short shocks	92-16		7610-1618	7610-1618SP8	7610-1618SP14	7610-1618SP15	7610-1618SP16	7610-1618SP17		Fitting 11"units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.	
All DYNA models11.5" extra short shocks	92-16		7610-1632	7610-1632SP8	7610-1632SP14		7610-1632SP16	7610-1632SP17		Fitting 11.5"units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.	
Electra Glides / Road Glides / Street Glides / Low Riders... "Baggers" - Road Kings											
FLFLHFXE 1200 (Shovel Head)	73-79		76-1402							use original spring	
FXB / FXE / FXEF / FXS / FXWG	80-83		76-1402								
FLH1340 Electra Glide (Shovel Head)	74-84		76-1402							use original spring	
FLH1340 Electra Glide Classic (Shovel Head)	80-84		76-1402							use original spring	
FLHS1340 Electra Glide Sport-Ikon preferred shock for this bike	85-93	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FLHS1340 Electra Glide Sport	85-93	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17		length as - 1531SP8, softer spring than it	
FLHS1340 Electra Glide Sport	85-93	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FLHS1340 Electra Glide Sport	85-93	76-3035	7610-1601	7610-1601SP8	76101601SP14				7614-1601		
FLHTI, FLHTCI, FLHTCUI 1340, 1450, 1580 & 1690- Ikon preferred shock	80-14	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FLHTI, FLHTCI, FLHTCUI 1340, 1450, 1580 & 1690- Ikon shock for this bike similar to original length = 13" shock	80-14	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FLHTI, FLHTCI, FLHTCUI 1340, 1450, 1580 & 1690- Extra heavy duty=13" shock	80-14	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FLHR(I), FLHR(CI, FLH(CI 1340, 1450, 1580- Ikon preferred shock for this bike	94-16	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FLHR(I), FLHR(CI, FLH(CI 1340, 1450, 1580- = 13" shock, (Road King, Road King Classic)	94-16	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FLHR(I), FLHR(CI, FLH(CI 1340, 1450, 1580- Extra heavy duty = 13" shock, (Road King, Road King Classic)	94-16	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FLHRS11450 Road King Custom, FLHX 1580 Streetglide	94-15	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		7610-1539SP8 for lighter applications	
FLHRS11450 Road King Custom, FLHX 1580 Streetglide	94-15	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		7610-1617SP8 has a stronger spring fitted and is the preferred specification	
FLHTK Electra Glide Ultra Limited 103 cubic inch (1690cc) twin cam engine (oe seat height approx 740mm)	10-16	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601		
FLT all models	80-12	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FLTRX Road Glide Custom (oe seat height approx 715mm)	10-16		7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17		1 Lowered suspension standard on this model	
FLTRXS	16		7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17			
FXB1340 Sturgis - (ShovelHead)	80-82		76-1402							use original spring	
FXE1340 Fat Bob / Super Glide (Shovel Head)	80-84		76-1402							use original spring	
FXLR1340 Low Rider Custom	87-94	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		Longer than original shock.	
FXLR1340 Low Rider Custom = 13"shock	87-94	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17			
FXLR1340 Low Rider Custom = 13" shock - extra heavy duty	87-94	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	Same length as original shock. 7610-1601SP8 recommended for heavier duty use where riding loads exceed 90kg most of the time.	
FXLR1340 Low Rider Custom - approx 40mm Lowering	87-94	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		lowers bike app. 40mm compared to 7610-1517SP8 and approx 25mm compared to 7610-1528SP8	
FXR / FXRD / FXLR / FXRS	82-86	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17			
FXR1340 Super Glide - Ikon preferred shock for this bike	87-94	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FXR1340 Super Glide	87-94	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17		length as - 1531SP8, softer spring than it	
FXR1340 Super Glide	87-94	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXR1340 Super Glide	87-94	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXR1340 Super Glide	87-94		7610-1521	7610-1521SP8	7610-1521SP14		7610-1521SP16	7610-1521SP17		50mm shorter than OE, spring as above	
FXR 2	99	76-3038	7610-1617	7610-1617SP8	7610-1617SP14		7610-1617SP16	7610-1617SP17			
FXRS1340 Low Rider - Ikon preferred shock for this bike	87-94	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FXRS1340 Low Rider	87-94	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17		length as - 1531SP8, softer spring than it	
FXRS1340 Low Rider = 12.5" shock	87-94	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRS1340 Low Rider = 13.0" shock	87-94	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRS1340 Low Rider	87-94		7610-1521	7610-1521SP8	7610-1521SP14		7610-1521SP16	7610-1521SP17		50mm shorter than OE, spring as above	
FXRS1340 Low Rider Convertible	88-94	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		approx. standard height	
FXRS1340 Low Rider Convertible	88-94	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		lowers bike approx. 40mm	
FXRS-SP1340 Low Rider Sport Edition	87-94	76-3024	7610-1517	7610-1517SP8	7610-1517SP14		7610-1517SP16	7610-1517SP17		approx. standard height	
FXRS-SP1340 Low Rider Sport Edition	87-94	76-3031	7610-1539	7610-1539SP8	7610-1539SP14		7610-1539SP16	7610-1539SP17		lowers bike approx. 40mm	

FXRT	82-86	76-3027	7610-1528	7610-1528SP8	7610-1528SP14		7610-1528SP16	7610-1528SP17		standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8, 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRT	82-86	76-3035	7610-1601	7610-1601SP8	76101601SP14				7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8, 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRT 1340 Sport Glide - ikon preferred shock for this bike	87-92	76-3029	7610-1531	7610-1531SP8	7610-1531SP14		7610-1531SP16	7610-1531SP17		11mm shorter than OE, but heavier spring	
FXRT 1340 Sport Glide	87-92	76-3023	7610-1513	7610-1513SP8	7610-1513SP14		7610-1513SP16	7610-1513SP17		length as - 1531SP8, softer spring than it	
FXRT 1340 Sport Glide	87-92	76-3027	7610-1528	7610-1528SP8	7610-1528SP14					standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8, 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRT 1340 Sport Glide	87-92	76-3035	7610-1601	7610-1601SP8	7610-1601SP14				7614-1601	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8, 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.	
FXRT 1340 Sport Glide	87-92		7610-1521	7610-1521SP8	7610-1521SP14		7610-1521SP16	7610-1521SP17		50mm shorter than OE, spring as above	
FXS 1340 Low Rider	80-84		76-1402							use original spring	
FXWG 1340 Wide Glide	80-84		76-1402							use original spring	
V-Rod											
VRSA 1130	02-05	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	Its possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.	
VRSB, VRSC, VRSCAW 1130, VRSCD (Night Rod), VRSCX	04-10	76-3035	7610-1601	7610-1601SP8	7610-1601SP14		7610-1601SP16	7610-1601SP17	7614-1601	Its possible to lower the V-rod using 7610-1617(SP8). Lowering by more than this may require alterations to other parts on the bike.	
VRSCDX Night Rod Special (oe seat height approx 675mm)	07-16		7610-1645	7610-1645SP8							
VRSCR	06-07		7610-1620	7610-1620SP8							
VRSCF Night Rod Muscle (oe seat height approx 705mm)	09-16		7610-1675	7610-1675SP8	7610-1675SP14		7610-1675SP16	7610-1675SP17			
Street											
XG 500	15-										
XG 750	15-										
Springer front suspension											
Various models with 234mm long shock fully open.			76-1702								
HONDA											
CR 80 R	80-81	76-3000	7610-1250SP4								
XR 80	79-81	76-3000	7610-1250SP4								
CT 110	?		76-1461								
CA 125 Rebel	95-98		7610-1530	7610-1530SP8							
CB 125 N / S	76-80		7610-1419								
CB 125 T	78-86		7610-1419								
CG 125	80-84		7610-1419								
CM 125 / C	80-86		7610-1419								
CT125	81		7610-1905 + spring 220-15/21/28							365mm open 10mm x 20mm eyes top & bottom. Check fitting clearances.	
SH150	03-12		7610-1613							spring recommended by General Spare Parts is 190-15/21 or 205-15/21/28	
SH150 (w/- ABS)	2013-	76-4010									
XL185S	78-82		76-1707						3214-2015		
CM 200T	81-86		7610-1419								
CT 200	?	76-3014	76-1462							plus 3 sleeves70-52-11-367-0 (per pair)	
CTX 200 Agbike - Monoshock											
TA Shadow (200cc)	02-04		tbd								
XL 230	02-		tbd								
CA 250 Rebel	94-01		tbd								
CB250, CJ250	66-76	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB250T	77-79		76-1408								
CB250N	79-85		76-1408								
CB250 Two Filly	92-05		76-1472								
CB250RS	83		76-1472								
CBX250RS, GB250 Clubman	85-98	76-3017	7610-1429SP1								
CD250U	88-93	76-3017	7610-1429SP1								
CM250C	82-86		7610-1419								
CMX250 Rebel	96-04		7610-1530	7610-1530SP8							
SH250 Scooter			7610-1613								
V25 Custom	94-00		tbd								
VT250 (Custom/Cruiser)	94-02		7610-1646	7610-1646SP8							
XL250S	78-82		76-1707						3214-2015		
XL250S Degree	95		3610-1054								
XR-250	79-80								3214-2012		
SH300i Scooter	2007		7610-1640								
CB77, 305cc	64 on	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB350 / CJ350T	66-76	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB350F	73-75	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CL350, Scambler	70-73	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB360	73-78	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CL360, Scrambler	74	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB400T / AT	77-85		76-1408								
CB400F	74-79	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB400N	79-85		76-1408								
CB400 Super Four	93-96		7610-1512								
CB400 V-tec	00-12	76-3037	7610-1604	7610-1604SP8	7610-1604SP14		7610-1604SP16		3214-1604		
CB400 inc Bol D'or	08-14	76-3037	7610-1604	7610-1604SP8	7610-1604SP14		7610-1604SP16		3214-1604		
CB400SS, CL400	98-	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16				
CM400 A / T / TZ	79-86	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CX400 / C	81-83		7610-1412								
GB400 Clubman (Tourist Trophy)	85-92	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16				
Silverwing 400			7610-1656								
VT400											
XL400S	78-82		76-1707						3214-2015		
CB450	66-76	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB450N	84-87		76-1408								
CB450S	86-90		7610-1512								
CB500	93-00		7610-1534								
CB500 F / T	71-78	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CX500 / C	78-86		7610-1412								
FT500	82-89		7610-1502								
GB500	89-90	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16				
GB500 Clubman (Tourist Trophy)	91-93	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16				
VF500 Custom											
VT500 Custom	83-89		7610-1505	7610-1505SP8							
VT500E / Custom	83-89		7610-1505								
XBR500S	85-90	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16				
XL500S	78-82		76-1707						3214-2015		
CB550F/K	74-79	76-4002	7610-1302	7610-1302SP8	7610-1302SP14		7610-1302SP16				
CB550SC Nighthawk	83-84										
CBF600F/S	04-10		3610-1019								
CBR600F(PC31)	97-98		3610-1012								
CBR600F(PC25)	91-96		3610-1012								
CBR600F(PC19)	87-90		3610-1013								
CBR600F(PC35)	99-07										
CBR600RR(PC37)	03-06										
600 Silverwing			7610-1656								
CB650C	79-84	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		

CBX650E Nighthawk	83-89		7610-1283SP4								
CX650C (RC11)	83 on		7610-1412							Check clearances	
NX650	95		3610-1086								
TRX 680 ATV front	06-12										
TRX 680 ATV rear	06-12				7610-1665SP14						
CB700C Nighthawk	84-86										
VF700 Super Magna (RC21)	82-87		7610-1502								
Shadow, Shadow RS and Phantom, 745cc	12-15		7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length. Bushes: 16mm top, 10mm and 14mm bottom.	
750 Nighthawk	91-03		7610-1512								
CB750C	81-84	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		
CB750F	69-79	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		
CB750K	69-80	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		
CB750 F1/ F2	76-80	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		
CB750 FA, FB, FC, FD	80-84	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB750KZ	79-84	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB750F2 Seven Fifty	92-99		7610-1537	7610-1537SP8	7610-1537SP14		7610-1537SP16				
Shadow A.C.E. 750	98-03	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16				
Shadow Aero 750	2004		7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP16			Original unit 285mm open length.	
Shadow Spirit 750	01-03		7610-1606	7610-1606SP8	7610-1606SP14		7610-1606SP16				
VF750C / Super Magna (RC09)	82-87		7610-1502								
VF750 (Super) Magna (RC28 - Shaft drive)	88-93	76-3026	7610-1526							76101505 upriding more than 50% of the time for heavier duty use. Eg load over 90kg or 2	
VF750 (Super) Magna (RC28 - Shaft drive) - Extra heavy duty	88-93		7610-1505							76101505 for heavier duty use. Eg load over 90kg or 2 upriding more than 50% of the time	
VF750C (RC43 - Chain drive) Magna	93-03	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16				
VIT750 Shadow Aero	2004		7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length. Bushes: 16mm top, 10mm and 14mm bottom.	
VIT750 Shadow Spirit	03-06		7610-1606							OEM unit said to be 308mm	
VIT750C	83-85	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16				
VIT750C / C2 / CD Shadow, ACE	97-03	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16				
VIT750DC Black Widow	01-04		7610-1606	7610-1606SP8	7610-1606SP14		7610-1606SP16				
VIT750 C4			7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length. Bushes: 16mm top, 10mm and 14mm bottom.	
VIT750 C2 Fuel injected.	07-14		7610-1652	7610-1652SP8	7610-1652SP14		7610-1652SP8	7610-1652SP17		285mm open length. Bushes: 16mm top, 10mm and 14mm bottom.	
VIT750S	10-13	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16	7610-1504SP17		Original units have an appearance approximated by our 7610-SP17	
XLV750	85-86		3610-1040								
PC800 Pacific Coast	89-98	76-3014	7610-1422	7610-1422SP8	7610-1422SP14		7610-1422SP16				
CB900 Inc Bol d'Or	79-84	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB900 Hornet, SC48	02-08		3610-1075								
CBX1000 (twin shock models)	78-81	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB1000 Big1 SC30	92-98	76-3025	7610-1523	7610-1523SP14			7610-1523SP16			normal loads	
CB1000 Big1 SC30	92-98	76-3034	7610-1600	7610-1600SP8	7610-1600SP14		7610-1600SP16			heavier loads	
GL1000 Gold Wing	75-81	76-4001	7610-1296	7610-1296SP8	7610-1296SP14		7610-1296SP16		7614-1296		
VTR1000	98		3610-1034								
CB1100R	81-84	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB1100F	82-85	76-4004	7610-1413	7610-1413SP8	7610-1413SP14		7610-1413SP16		7614-1413		
CB1100	10-15	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		7614-1507, 3214-1507		
CBR1100XX (SC35)	96-08		3610-1101								
GL1100DX	80-84		7610-1434								
GL1100 Gold Wing	80-84		7610-1434								
GL1100STD	80-84		7610-1434								
Shadow Aero 1100	98-02		ltd								
V65 Magna (1100cc)	83-86	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		7614-1507		
ST1100	90-03		3610-1010							For Police bike models bottom bolts 14mm. Special bottom mounting pieces need to be ordered separately. Shock to be fitted upside down if top clearance is a problem.	
VF1100C	83-86	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16		7614-1507		
VT1100C Shadow (1086cc USA version)	85-88	76-3019	7610-1504	7610-1504SP8	7610-1504SP14		7610-1504SP16				
VT1100C Shadow (1099cc)	89-95		7610-1533	7610-1533SP8							
VT1100C Shadow A.C.E. / Spirit / Sabre- NOT Aero models	95-06		7610-1533	7610-1533SP8							
VT1100 Aero, 315mm open length	1998										
GL1200	84-87		7610-1859							For heavier applications special version required with 515 springs	
CB1300, CB1300 Super Four, Super Bol D'or, Super Touring	03-14	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	7614-1507, 3214-1507	Bushes 14mm x 20mm top, 10mm x 20mm bottom.	
ST1300	03-		3610-1082								
VTX1300S Retro (USA only)	2003		7610-1533	7610-1533SP8						lowers bike approx. 13mm	
VTX1300	02-08		7610-1642	7610-1642SP8							
GL1500 Goldwing	88-00									345mm long shock, 607 or 515 spring, 110 bush top and 108 bush bottom. Some may have 14 mm top. In which case add 736 sleeves. Work with 7610-1318. The original set upon this bike had an air shock on one side and a steel sprung shock on the other. Using Ikon's on these models removes the air adjustability.	
GL1500(F6C) C/D/T, Valkyrie, Valkyrie Tourer	96-03	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16		7614-1542		
GL1500CF Valkyrie Interstate	99-01	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16		7614-1542		
VTX1800C, N, R, S, T	02-04		7610-1605	7610-1605SP8							
VTX1800C, F	05-08		7610-1605	7610-1605SP8						CHECK TOP MOUNTING BOLT DIAMETER. May require 2 6 x 19mm bronze bush.	
Conversation with Hyosung staff at Perth show 2011 advised that all models unchanged suspension wise.											
HYOSUNG											
GT250	03-12		3610-1077								
Aquila GV250	05-12	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16			Confirmed by Brian Connors, 25/03/09 OE shock 320mm long, 12mm bolts. 4x 052114270sleeves to be ordered separately	
GT650S	03-12		3610-1031							The only difference in the 650 to 700 is the engine stroke according to Hyosung staff at Perth show 2011	
Aquila GV650	05-15	76-3041	7610-1634	7610-1634SP8	7610-1634SP14		7610-1634SP16			Conversational Perth show revealed that the GV650 was specifically Australian for LA. The 700s sold elsewhere with the 700cc engine in Australia.	
Aquila GV700 ST7	05-15	76-3041	7610-1634	7610-1634SP8	7610-1634SP14		7610-1634SP16				
INDIAN											
Scout	2014-	7610-1674	7610-1674SP8	7610-1674SP14		7610-1674SP16	7610-1674SP17	7614-1674		50 to 60 mm spacer - shorten original	500-931
Jawa											
250	75-90	76-3001	7610-1250SP5								
350 Blue Style / TS	75-94	76-3001	7610-1250SP5								
500	75-90	76-3001	7610-1250SP5								
Kawasaki											
KX60	98-04								7613-1004	mini bike mono shock	
Mach III H1 / H1A-H1F (500cc)	69-75		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
S-1/S-2/S-3/H-2/H2B	72-75	76-3010	7610-1348SP1							2 x 70 52 11 427 0 per pair required. Applies to all options	
S-1/S-2/S-3/H-2/H2B - heavier springs for general use.	72-75	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		2 x 70 52 11 427 0 per pair required. Applies to all options	
Eliminator 125/EL 125 Elim. (BN125A1-6)	97-04		ltd								
Z200	77-81		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
A1 250	87-71		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
BR250	86	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
Estrella, Estrella RS (250cc) (BJ250)	92-02	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
Estrella Custom (250cc) / 250TR	00-02	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
EL250, EL250 Eliminator	88-95	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
Eliminator 250 (EL250), VN250	96-04	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
KH250	76-79		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
KL250 Stockman	08		3610-1052								
Z250	79-83	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		see entry below also	
Z250	83-85	76-3017	7610-1429SP1							has off-set bottom eye (& is a little longer)	
Z250LTD	90-81		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Z250LTD	82-84	76-3017	7610-1429SP1								
ZL250 Eliminator	87-98		7610-1525*	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		*to be confirmed	
ZXR			36-1004								
EL252, EL252 Eliminator	96-03		7610-1525*	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		*to be confirmed	

350LTD		67-89	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z205 CSR		64-88	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
A7 350		67-71		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
KW400		76-79		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Z400		76-80	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z400G		61-84	76-3017	7610-1429SP1							
Z400J		80-85		7610-1343SP1							
Z400		85-88	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z400LTD		61-84	76-3017	7610-1429SP1							
Zephyr 400		91-95		7610-1343SP1*							to be confirmed
Zephyr X(400cc)		96-03		btd							
Z440		80-81	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z440LTD		80-81	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z440LTD		82-84	76-3017	7610-1429SP1							
Z440LTD		85-88	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z440Twin		82-84	76-3017	7610-1429SP1							
Z440Twin		85-88	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z450LTD LTD450(EN450A1-A5)		85-89	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
454 LTD		84-90	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Mach III H1/ H1A-H1F (500cc)		69-75		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
ER-5 (500cc) (ER500 A1-A4)		97-00	76-3033	7610-1551							
ER-5 (500cc) (ER500 C1-C4)		01-05	76-3025	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17		
EN500 Vulcan		90-95	76-3006	7610-1307							standard height, standard shock
EN500 Vulcan		90-95		7610-1530	7610-1530SP8						lowers bike approx. 25mm, chrome shock
EN500 Vulcan (C1-C8), Vulcan 500 LTD		96-04	76-3020		7610-1506	7610-1506SP8 7610-1506SP14		7610-1506SP16	7610-1506SP17		
KH500		76-79		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17		
Z500		79-85		7610-1343SP1							
GT550 (Z550G)		82-89	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
GT550 (Z550G)		90-01	76-3009	7610-1348*	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		to be confirmed
Z550LTD		80-84	76-3017	7610-1429SP1							
Z550 (GP)		80-85		7610-1343SP1							
Zephyr 550 (ZR550 B2 - B8)		91-99	76-3025	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17		
ZL600		86-89	76-3017	7610-1429SP1							
ZL600 Eliminator, Eliminator 600		95-97	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		standard height, standard shock
ZL600 Eliminator, Eliminator 600		95-97	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		standard height, chrome shock
ZL600 Eliminator, Eliminator 600		95-97		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 35mm, chrome shock
ZZR 600 (ZX6)		93-99		3610-1001							
KLR650		98		3610-1070							
KLR650		08-12		3610-1039							
KLX650				3610-1051							
SR650		80-84	76-3017	7610-1429SP1							
W650 (EJ650)		99-04	76-3036	7610-1603	7610-1603SP8	7610-1603SP14		7610-1603SP16	7610-1603SP17		
W650		99-04		7610-1628	7610-1628SP8	7610-1628SP14		7610-1628SP16	7610-1628SP17		273mm unit for Japanese lowered applications.
Z650B, C, D and SR		76-81	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z650E,F / SP, H		80-84	76-3017	7610-1429SP1							
GT750 (Z750 P1-P9)		82-96	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
VN750 Vulcan, Vulcan750		85-04	76-3009	7610-1348*	7610-1348SP8*	7610-1348SP14		7610-1348SP16	7610-1348SP17		to be confirmed
Z750 (2 cylinder)		76-80	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z750		80-87	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
Z750 E/L		80-85	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
Z750 LTD		80-86	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
Z750GP (R)		82-86		7610-1343SP1							
Z750 Spectre, KZ750 N1 / N2 Spectre		82-83	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		
Z750 Sport		82-88		7610-1343SP1							
Z750 L4		85-87	76-3025	7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17		
Zephyr 750 (ZR750)		91-99	76-3025	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17		
Zephyr 750 (Japan)		97-03	76-3025	7610-1523*	7610-1523SP8*	7610-1523SP14		7610-1523SP16	7610-1523SP17		to be confirmed
W800		11-15	76-3036	7610-1603	7610-1603SP8	7610-1603SP14		7610-1603SP16	7610-1603SP17		
Z900 (Z1)		73-76	76-3025	7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17		
900 LTD		76-80	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		337mm open. Stock length 343mm
Z900 Eliminator		87-88	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
ZL900 Eliminator		85-86	76-3016	7610-1429*	7610-1429SP8*	7610-1429SP14		7610-1429SP16	7610-1429SP17		to be confirmed
ZL900		87-89	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
GTR1000		86-99		3610-1091							
ZL1000, ZL1000 Eliminator		87-89	76-3016	7610-1429*	7610-1429SP8*						to be confirmed
Z1000 all models		77-86	76-3025	7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17		
Z1100 except LTD and Spectre		80-86	76-3025	7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17		
GPZ1100 (ZX1100A1)		80-86	76-3025	7610-1343	7610-1343SP8	7610-1343SP14		7610-1343SP16	7610-1343SP17		
GPZ1100 (ZX110E)		94-98		3610-1011							
Z1100 LTD		83-84	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
Z1100 Spectre		82-87	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		
Zephyr 1100 (ZR1100)		92-97	76-3025	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17		normal loads
Zephyr 1100 (ZR1100)		92-97	76-3034	7610-1600							heavier loads (cases etc.)
Zephyr 1100 (Japan)		97-03	76-3025	7610-1523*	7610-1523SP8*	7610-1523SP14		7610-1523SP16	7610-1523SP17		normal loads to be confirmed
Zephyr 1100 (Japan)		97-03	76-3034	7610-1600*							heavier loads (cases etc.) *tbc
ZRX1100 (ZR1100 C1-C4)		97-00	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	7614-1507, 3214-1507	
ZZR1100 C models		90-92		3610-1089							
ZZR1100 D models		92-01		3610-1085							
ZRX1200, ZRX1200R/S (ZR1200A/B)		01-08	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	7614-1507, 3214-1507	
Z1300		78-89	76-3014	7610-1422	7610-1422SP8	7610-1422SP14		7610-1422SP16	7610-1422SP17		
ZN1300 Voyager		1983	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17		
VN1500 (Vulcan88, 1500L, VN15/SE)		88-98		7610-1434	7610-1434SP8						standard height
VN1500 (Vulcan 88, 1500L, VN15/SE)		88-98		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 25mm
VN1500 Vulcan Classic, incl. Fi		96-08	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17		
VN1500 Vulcan Classic Tourer, incl. Fi		98-04	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17		
VN1500 Vulcan Drifter, incl. Fi and Interstate		99-04		7610-1654	7610-1654SP8	7610-1654SP14		7610-1654SP16	7610-1654SP17		330mm shock, mounts 14 x 20mm.
VN1500 Vulcan Nomad, incl. Fi		98-04	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17		
VN1500 Mean Streak		02-04		7610-1643	7610-1643SP8	7610-1643SP14		7610-1643SP16	7610-1643SP17		340mm shock. OEM Top mtg 14mm roller bearing, bottom mtg 14mm bush. 26mm wide top and 20mm wide bottom. 15 23 11 061 0x4
VN1600 Vulcan Classic		03-07	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17		12.75" shock believed to be OE length. Say 324mm.
VN1600 Vulcan Classic		08-	76-3032	7610-1542 tbc	7610-1542SP8 tbc	7610-1542SP14 tbc		7610-1542SP16 tbc	7610-1542SP17 tbc	322mm shock, may need 611 spring	May need to bush to be approx 30mm wide as opposed to 20 wide
VN1600 Mean Streak		2004-08		7610-1643	7610-1643SP8						340mm shock. OEM Top mtg is a 14mm roller bearing, bottom mtg 14mm bush.
VN1700 Voyager		2009		7610-1663	7610-1663SP8	7610-1663SP14		7610-1663SP16	7610-1663SP17		355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush. SA Motorcycles = data source 2013.
VN1700 Vulcan Nomad		2011		7610-1663	7610-1663SP8	7610-1663SP14		7610-1663SP16	7610-1663SP17		355mm shock. OEM top mtg is a 14mm roller bearing, bottom mtg 14mm bush. 14.0" OEM shock with air assist.
VN2000				3610-1093							single shock model. 500-240
KYMIKO											
Dink				7610-1613							
LAVERDA											
350 and 500		79-85	76-3003	7610-1282SP10							
750 all models		70-80	76-3007	7610-1318							
1000 3C		73	76-3011	7610-1397		7610-1397SP14			7614-1397		
1000/1000 RGS		76-89	76-3011	7610-1397		7610-1397SP14			7614-1397		
1200 all models		76-89	76-3011	7610-1397		7610-1397SP14			7614-1397		
Jota									7614-2006		
MAICO											
MD250WK		79-83		7610-1283 +250-15/21/26							
MATCHLESS											
Jampt conversion shock			76-170								

V35 Custom	82-85	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16			
V35 Imola II	84-85	76-3017	7610-1429SP1						
V40	78-84		7610-1410						
V50, V50II, V50III	78-84		7610-1410						
V50 Custom	82-84	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16			
V50 Monza II	84-85	76-3017	7610-1429SP1						
V65 / V65 Sport	82-84	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1429SP16			
V65 Custom	83-86	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16			
V65 Florida	84-87	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16			
V65 Florida	92-94		7610-1282SP3						
V65 Lario	84-87	76-3017	7610-1429SP1						
Breva (750cc) all models	03-13		7610-1623	7610-1623SP8	7610-1623SP14	7610-1623SP16	7614-2003, 3214-2003		
Breva 850	06-								
Breva 1100	05-10		3610-1030						
Breva 1200 4v	10								
Nevada 750	93-97		7610-1625				For models which do not have the centre stand kit handle fitted. This handle is a bolt on item and can be easily removed. It can also be altered to allow the larger diameter of the spring to pass it. If this is not desired a special extended top mounting version can be made at extra cost. 395mm open, 14mm x 20mm bushes (70 52 25 108 0), no need for spaced top eye, 217springs.	datafromTomNewell06-10-06.Distancefromcentreofmounttotopofspringseatnutson originalshocks85mm. This is then clear of the centre stand handle. Maximum fitted spring length is 257mm.	The 7610 series extended top version is based on 7610-1607 with 217 springs, 108 bushes and the 70mm long top eye
Nevada 750 Club	98-01		7610-1607	7610-1500SP8					
Nevada 750 Club	02-04	76-3014	7610-1607					Lighter spring option - solo use	
Nevada 750 Classic IE	05-09						7614-2004	370mm long shock with top eye extension	
Nevada 750 including Anniversary model	10-16						7614-2004	370mm long shock with top eye extension	
V7, V7 Sport and Special (750 & 850cc), Ambassador, Eldorado	72-91	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16	7614-1297		
V7 Cafe	09-11		7610-1623	7610-1623SP8	7610-1623SP14	7610-1623SP16	7614-2003		
V7 Classic	08-12		7610-1623	7610-1623SP8	7610-1623SP14	7610-1623SP16	7614-2003		
V7 Special & Stone	12-14		7610-1623	7610-1623SP8	7610-1623SP14	7610-1623SP16	7614-2003		
V7 II all models	14-16		7610-1623	7610-1623SP8	7610-1623SP14	7610-1623SP16	7614-2003		
V9 850 Bobber	16-		7610-1684		7610-1684		7614-1684		
V9 850 Roamer	16-		7610-1684		7610-1684		7614-1684		
850 California, T3, T4, 850GT	76-83	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16	7614-1297		
850 California T5	83-88	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1297		
Le Mans I and II (850cc), S3 (750)	75-81	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16	7614-1297		
Le Mans III (850cc)	81-84	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
Le Mans IV and V (1000cc)	84-94	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 Le Mans	84-94	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 California, California II	82-87	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 California III / C / I / IE	87-93	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 GS / Convert	72-84	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16	7614-1297		
1000 SP	72-84	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16	7614-1297		
1000 SP II / SP III / S	84-94	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 Millie GT	88-93	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1000 Strada	92-94	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16	7614-1429		
1100 / 1100i California	93-98	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
California 75 limited edition	97-98	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
CaliforniaEV(1100cc) with top mount cover panel	98-01		7610-1610	7610-1610SP8				340mm shock, Includes special extended top	
California Special / Bassa (USA)	99-00		7610-1610	7610-1610SP8				340mm shock, Includes special extended top	
CaliforniaEV(1100cc) without top mount cover panel	98-01	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
CaliforniaEV(1100cc) without top mount cover panel	02-05		7610-1607	7610-1500SP8				360mm shock, Includes special extended top	
CaliforniaEV(1100cc) with top mount cover panel	02-09		7610-1615	7610-1615SP8				360mm shock, Includes special extended top	
California EVT	02		7610-1615	7610-1615SP8				360mm shock, Includes special extended top. Original shock absorber said to be 350mm long	
California Classic	07		7610-1615	7610-1615SP8				340mm shock, Includes special extended top	
California Sport Special, Aluminium, Titanium	02-05		7610-1610	7610-1610SP8				340mm shock, Includes special extended top	
California Stone	01-05	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
California Stone Metal	02	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
California Stone Touring	03-05	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16	7614-1529		
California Vintage	05		7610-1607	7610-1500SP8				to be confirmed	
California 1400	13-15	76-3046	7610-1667				7614-1667		
California Eldorado 1400	16								
Griso, 850	06-07		3610-1028						Tom at Don Newell provided all the model data.
Griso 1100	05-08		3610-1028						Tom says all these Griso models have the same shock according to Guzzi.
Griso 1200 8v	07-11		3610-1028						
Norge 1200 8v	05-		3610-1029						
V11 Jackel (1100cc)	99-01	76-3016	7610-1429	7610-1429SP8	7610-1429SP14	7610-1429SP16			
V11 Jackel (1100cc)	99-01	76-3028	7610-1529	7610-1529SP8	7610-1529SP14	7610-1529SP16		Heavier springs for regular two up or loaded riding.	
Falcone / Sahara	Upto 77	76-3004	7610-1297	7610-1297SP8	7610-1297SP14	7610-1297SP16			
NTX650	87-90	76-3014	7610-1422						
MOTO MORINI									
312	1977	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16				
MV AUGUSTA									
750S America	1976	76-3013	7610-1418	7610-1418SP8	7610-1418SP14	7610-1418SP16	3214-1418, 7614-1418		
MZ									
ETZ250	77 on							350mm shock, 204 springs, top = ? bottom = 022 bush + 508 sleeves	
500 Country, Fun, Star, Tour, Voyager, 500NR	93-99							355mm shock	
NORTON									
Atlas (Slimline)	66 on	76-3006	7610-1307					requires 8mm sleeves for the lower mount which have to be ordered separately	
Commando and Interstate	69-78	76-3044	76-1373	7610-1653	7610-1653SP14		7614-1653		
Rotary	88-90		7610-1283*					*plus spring 235-15/21/26	
Commander	88-94		7610-1283*					*plus spring 235-15/21/26	
P11			7610-1630						
PIAGGIO									
Beverly	03-07		7610-1629						
ROYAL ENFIELD									
500cc Bullet Classic, Electra,	95-09	76-3006	7610-1307		7610-1307SP14			300mm shock for Indian models.	
500cc Bullet fuel injected	11-14		7610-1901+ 220-18/25/33N					320mm OE shocks. MUST USE NARROW SERIES SPRINGS	
500cc Continental GT	13-		7610-1671		7610-1671SP14				
SACHS									
Roadster 650	00-		7610-1602SP1 + sleeves 70 52 11 367 0 to be ordered separately						
Roadster 800	00-								
SANGLAS									
400Y	80-83		7610-1393						
500			7610-1393						
SUZUKI									
RES Rotary	75-77	76-4003	7610-1394	7610-1394SP8	7610-1394SP14	7610-1394SP16	7610-1394SP17		
TS50	80-83		7610-1525	7610-1525SP8	7610-1525SP14	7610-1525SP16	7610-1525SP17		
TS80	80-83		7610-1525	7610-1525SP8	7610-1525SP14	7610-1525SP16	7610-1525SP17		
A100									
GP125 / GT125	74-80	76-3006	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17		
GZ125 Marauder	98-04		ttb						
VL125 Intruder	00-04		ttb						
GT185	74-80	76-3006	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17		
AN200 Burgman	14-								twin shocks. eye fork like AN650
GT200 X5	74-81	76-3006	7610-1307	7610-1307SP8	7610-1307SP14	7610-1307SP16	7610-1307SP17		
GNX250E	82-86	76-3000	7610-1250SP4						
GN250	87-97		7610-1282*					*plus spring 235-15/21/26 (normal loads)	
GN250	87-97		7610-1282*					*plus spring 235-18/25/33 (heavier loads)	

GSX250	80-85	76-3003	7610-1282SP10										
GT250 incl. X7	74-81	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
GZ250 Marauder	99-04	76-3022	7610-1511SP8								plus 2 x 70 52 11 427 0 sleeves to be ordered separately		
T250	70-73	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
TU250X Volly, Grass Tracker, BigBoy, ST	97-02		7610-1901*								*plus spring 220-15/21/26	320mm open, 12 mm x 20mm eyes, 61mm OD spring. Lug ht approx 60mm	
TU250X	14-16		7610-1669									long shocks, 380mm open with 235-15/21/26 springs, 70 52 25 022 bushes, no sleeves.	
VL250 Intruder LC	00-04		ltd										
T350	70-73	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
GT380	74-79	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
AN400 Burgman K3, K4, K5												Monoshock	
GN400 L / TD	80-83	76-3003	7610-1282SP10										
GS400	77-79	76-3003	7610-1282SP10										
GS400 L / T	80-85	76-3003	7610-1282SP10										
GSX400S / L / E / F	77-89	76-3003	7610-1282SP10										
GSX400 Inazuma	97-02			0	0		0	0					
GSX400 SS Katana	94on		7610-1641									355mm OEM shock with 10 x 20mm bushes	
Templer	98-02	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17					
GS425E	77-80	76-3003	7610-1282SP10										
GS450S / L / T	80-89	76-3003	7610-1282SP10										
GS450E	89-90	76-3003	7610-1282SP10										
GS500E / XE	78-83	76-3003	7610-1282SP10										
GS500E & K Models	89-10		3610-1002										
GT500	74-79	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
T500	70-73	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
GS550	1977	76-3000	7610-1250SP4										
GS550E / XE	78-83	76-3003	7610-1282SP10										
GS550L	80-82	76-3003	7610-1282SP10										
GS550M / EM Katana	81-84	76-3003	7610-1282SP10										
GT550	74-79	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
GSF600 Bandit	95-99		3610-1023										
GSF600 Bandit	00-05		3610-1024										
GSX600F	88-87		3610-1061										
VS600 Intruder, incl. Minnesota	85-88	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17				standard height	
VS800 Intruder, incl. Minnesota	95-98		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17				lowers bike approx. 20mm	
DR650	1990		3610-1017										
DR650	2007		3610-1027										
Burgman AN650 Scooter	03-15		7610-1609										
DL650 V-Strom	03-12		3610-1100										
GR650 Templer	1983		3610-1041										
GS650E / L	80-82	76-3003	7610-1282SP10										
GS650GT / Katana	81-84	76-3018	7610-1500										
LS650 Savage	86-04		7610-1530	7610-1530SP8									
S40 650cc single	05-15												Shocks could be as short as 10". Possible application 7610-1530SP8
VS700 Intruder	86-91	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17				standard height	
VS700 Intruder	86-91		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17				lowers bike approx. 20mm	
GT750	72-79		7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17					
GS750L / E	77-81	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GSX750E / S Katana	79-83	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GSX750	98-00	76-3012	7610-1407										
GSX750 Katana	85		3610-1059										
GSX750F	93-96		3610-1061										
GSXR750J & K	88-89		3610-1018										
VS750 Intruder	86-92	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17				standard height	
VS750 Intruder	86-92		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17				lowers bike approx. 20mm	
VL800 Volusia	2001												
VS800 Intruder, incl. Minnesota	92-04	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17				standard height	
VS800 Intruder, incl. Minnesota	92-04		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17				lowers bike approx. 20mm	
VX800	90-97		7610-1520									normal loads	
VX800	90-97	76-3034	7610-1600									heavier loads (cases etc.)	
VZ800 Marauder	97-04		7610-1541	7610-1541SP8	7610-1541SP14		7610-1541SP16	7610-1541SP17					
GS850L / G	77-88	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	3214-1418				
GS1000 / E / H / L / S	78-82	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GS1000 / G	79-88	76-3013	7610-1418				7610-1418SP16	7610-1418SP17	3214-1418				
GS1100L	81-82	76-3013	7610-1418				7610-1418SP16	7610-1418SP17	3214-1418				
GS1100E	80-83	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GS1100GK	82-84	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	3214-1418				
GS1100G	86-88	76-3013	7610-1418	7610-1418SP8	7610-1418SP14		7610-1418SP16	7610-1418SP17	3214-1418				
GSX1100EF / ES, GS1150ES	83-88	76-3013 or	7610-1418 or 7610-1394									Twin shock models only. Are the mounts E/E or E/F	
GSX1100 / L / S / ES / E	79-84	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GSX1100 Katana / S Katana	81-85	76-4003	7610-1394	7610-1394SP8	7610-1394SP14		7610-1394SP16	7610-1394SP17					
GSX1200 Inazuma	98-02	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17				standard rate spring, standard shock	
GSX1200 Inazuma	98-02	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17				standard rate spring, chrome shock	
GSX1200 Inazuma	98-02	76-3012	7610-1407				7610-1348SP16	7610-1348SP17				heavy duty spring rate, standard shock	
GSX1400 K1, K2, K3, K4 Katana	01-07		7610-1636						7614-1636, 3214-1636				
VS1400GLP Intruder, incl. Minnesota	87-03	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17				standard height	
VS1400GLP Intruder, incl. Minnesota	87-03		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17				lowers bike approx. 40mm	
VZ1600 Marauder	2004		7610-1643	7610-1643SP8									
SYM													
Voyager 250		76-1703										345mmlongshock,eyetopforkbottom(18x8mm)	
TRIUMPH													
500 Daytona / Trophy / T-100R	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
650 Thunderbird 6T	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
650 Thunderbird TR65	81-	76-3001	7610-1250SP5 7610-1348									Bush sizes on the bike are 24 x 9.5mm. Bushes with sleeves for 7610-1348 are 20 x 10mm. A washer should be fitted to accommodate the difference.	
650TR - 6C / TR - 6R - Tiger	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
650T - 110	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
650T - 120R / T - 120 Bonneville	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
675 Street Triple	2015		3610-1099										
750 Tiger TR7 V / T - 140V Bonneville	72 on	76-3001	7610-1250SP5 7610-1348									For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.	
750 Tiger TR7 V / T - 140V Bonneville - SOLO or LIGHTER Use option	72 on	76-3000	7610-1250SP4									For models upto 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.	
750T - 150 Trident / V / T - 160V	69-79	76-3002	7610-1282SP6									conventional use, for solo use see*	
*for solo use only on these Triumph's use:		76-3003	7610-1282SP10									has lighter spring than the SP6	
Tiger Trail	82-83		7610-1283									+250-15/21/28	
900 Adventurer	96-01		3610-1047										
Bonneville	00-08	76-3046	7610-1602	7610-1602SP8	7610-1602SP14		7610-1602SP16	7610-1602SP17	7614-1602, 3214-1602			OEM nr T2057980	500-106
Bonneville -for lighter or solo use	00-08		7610-1602SP1									OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.	
Bonneville & Bonneville SE (Alloy wheel models)	09-15	76-3042	7610-1647	7610-1647SP8	7610-1647SP14		7610-1647SP16	7610-1647SP17	7614-1647, 3214-1647			Lighter rate spring option for lighter riders or riding more than 50% of the time solo	
Bonneville & Bonneville SE(Alloy wheel models)-for lighter or solo use	09-15	76-3043	7610-1648	7610-1648SP8	7610-1648SP14		7610-1648SP16	7610-1648SP17	7614-1648, 3214-1648				
Bonneville T100 (790cc and 865cc)	02-15	76-3046	7610-1602	7610-1602SP8	7610-1602SP14		7610-1602SP16	7610-1602SP17	7614-1602, 3214-1602			OEM nr T2057980	500-106
Bonneville T100 (790cc and 865cc)-for lighter or solo use	02-15		7610-1602SP1									OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.	500-106
Bonneville 900 Street Twin	16-		7610-1676	7610-1676SP8	7610-1676SP14		7610-1676SP16	7610-1676SP17	7614-1676, 3214-1676				
Bonneville T120 1200	16-		7610-1676	7610-1676SP8	7610-1676SP14		7610-1676SP16	7610-1676SP17	7614-1676, 3214-1676				
Bonneville - Lowering shocks	00-08	76-3040	7610-1633	7610-1633SP8	7610-1633SP14		7610-1633SP16	7610-1633SP17	7614-1633			Lowens bike by approximately 25mm	500-106
Bonneville America (790cc)	02-15	76-3032	7610-1542	7610-1542SP8	7610-1542SP14								

Bonneville USA	85-87										
Daytona 750	91-93		3610-1053								
Ltd Speed Triple 750	96		3610-1053								
Trident 750	91-98		3610-1053								
Daytona 900	92-96		3610-1063								
Legend 900 SMTTC393	98-01		3610-1047								
Sprint 900	93-98		3610-1053								
Trident 900	91 on		3610-1053								
Triumph 900	91 on		3610-1053								
Rocket III (2300cc), including Classic, and Touring (oe seat height 730mm)	04-13		7610-1611	7610-1611SP8	7610-1611SP14		7610-1611SP16	7610-1611SP17	7614-1611		500-259
Rocket III (2300cc), including Classic, and Touring - LOWERING SHOCKS	04-13		7610-1612	7610-1612SP8	7610-1612SP14		7610-1612SP16	7610-1612SP17	7614-1612	7610-1612SP8 / SP14 / SP16 and 7614-1612 Lowers the bike by approx 35mm.	500-259
Rocket III (2300cc), including Classic, and Touring (oe seat height 730mm)	04-13		7610-1635	7610-1635SP8						Heavier duty springing for riders who like a firmer ride or are loading more than 90kg onto the bike more than 50% of the time	500-259
Rocket Roadster (oe seat height 750mm)	10-15							7610-1650SP17			
Speedmaster (865cc)	03-15	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	7614-1542		500-027
Speedmaster (865cc) LOWERING SHOCKS	03-15		7610-1532	7610-1532SP8	7610-1532SP14		7610-1542SP16	7610-1542SP17	7614-1532		500-027
Speed Triple	04-10		3610-1062								
ThruXton 900	04-15	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	7614-1507, 3214-1507	OEM nr T2057985	500-113
ThruXton 900 10mm shorter shock for lower seat height	04-15	76-3025	7610-1523	7610-1523SP8	7610-1523SP14		7610-1523SP16	7610-1523SP17	7614-1523, 3214-1523		
ThruXton 900 23mm shorter shock for lower seat height	04-15	76-3046	7610-1602	7610-1602SP8	7610-1602SP14		7610-1602SP16	7610-1602SP17	7614-1602, 3214-1602		
ThruXton	16		7610-1683	7610-1683			7610-1683		7614-1683, 3214-1683		
ThruXton R 1200	16		7610-1681	7610-1681			7610-1681		7614-1681, 3214-1681		
Scrambler	06-15	76-3021	7610-1507	7610-1507SP8	7610-1507SP14		7610-1507SP16	7610-1507SP17	7614-1507, 3214-1507	OEM nr T2057985	500-106
Thunderbird 900, SMTTC339	95-98		3610-1047								
Thunderbird 900, inc Sport	98-04		3610-1046								
Thunderbird 1600 (oe seat height 700mm)	09-15		7610-1650	7610-1650SP8	7610-1650SP14		7610-1650SP16	7610-1650SP17			500-936
Thunderbird Storm 1700 (oe seat heght 700mm), LT 1700	11-15		7610-1650	7610-1650SP8	7610-1650SP14		7610-1650SP16	7610-1650SP17			500-936
Tiger	04		3610-1074								
Trophy, 1200	95-01		3610-1063								
URAL											
Sidcar models with leading link front end. 5 shocks per bike including shock for sidcar wheel	08-12			7610-1664SP14							
VICTORY											
Highball	12		3610-1060								
YAMAHA											
125 Vno, YJ125V			7610-1614								Single shock scooter
SR125	97-03		ltd								
XV125 Virago	97-00		ltd								
XVS125 Drag Star, V Star	00-04	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17		conventional spring	
XVS125 Drag Star, V Star	00-04	76-3020	7610-1506	7610-1506SP8						has heavy duty chromed spring	
Zuma 125 scooter	09		7610-1668								
TW200											
Majesty YP250 Scooter	97-01		76-1703								
Majesty YP250 P	02-		76-1703SP1								
FZX250 Zeal										330mm, 14mm holes. To be confirmed	
RD250	73-80		7610-1525	7610-1525SP8							
SR250 SE	77-85	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
SRV250	94-99		7610-1250SP2							320mm long 14mm bushes top and bottom, 230 spring	
SRX 250	84		3610-1064								
X-Max 250	05-10		7610-1658								
XS250	77-81		7610-1525	7610-1525SP8							
XT250	83		3610-1092								
XV250 Virago / S	89-07	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17		conventional spring	
XV250 Virago / S	89-07	76-3020	7610-1506	7610-1506SP8						has heavy duty chromed spring	
Virago 250 (USA)	2004	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17		conventional spring	
Virago 250 (USA)	2004	76-3020	7610-1506	7610-1506SP8						has heavy duty chromed spring	
XVS250 Drag Star, V Star	00-04	76-3006	7610-1307	7610-1307SP8	7610-1307SP16					conventional spring	
XVS250 Drag Star, V Star	00-04	76-3020	7610-1506	7610-1506SP8						has heavy duty chromed spring	
XC300			7610-1655								
RD350	73-78		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
XS360	77-81		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
Majesty YP400 Scooter	04-07		7610-1608								
RD400	78-80		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
SR400	78-16	76-3009	76-1472, 7610-1348 - Japan only 7610-1525 - Japan only solo use								
XJ400	80-85	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17			
XJR400/R	93-95		7610-1525	7610-1525SP8							
XJR400/R	96-04	76-3009	7610-1348*	7610-1348SP8*	7610-1348SP14*		7610-1348SP16*	7610-1348SP17*		standard (black spring) *to be confirmed	
XJR400/R	96-04	76-3009	7610-1348*	7610-1348SP8*	7610-1348SP14*		7610-1348SP16*	7610-1348SP17*		SP8 (chromed spring & dust cover) *lbc	
X Max 400 scooter	13-14	76-4007	7610-1666								
XS400/SE	77-86		7610-1348SP1								
XVS400 Drag Star, V Star	96-98		ltd								
SR500	78-04		76-1472								500-105
TT500	76-81		76-1462						3214-2010		
XS500	75-77		7610-1525	7610-1525SP8	7610-1525SP14		7610-1525SP16	7610-1525SP17			
XT500	77-89		76-1462						3214-2010		
XV535 Virago / S	88-03	76-3020	7610-1506	7610-1506SP8						standard height, chrome shock	
XV535 Virago / S	88-03	76-3020	7610-1506	7610-1506SP8						standard height, standard shock	
XV535 Virago / S	88-03		7610-1530	7610-1530SP8						lowers bike approx. 30mm, chrome shock	
XJ550	80-85	76-3009	7610-1348	7610-1348SP8							
SRX600	85-89	76-3006	7610-1307	7610-1307SP8	7610-1307SP14		7610-1307SP16	7610-1307SP17			
TT600	86		3610-1049								
XJ600 Radian	89-91	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17			
XJ600 Diversion (Seca II)	91-99		3610-1015								
XT600	83-89		3610-1050								
XT600 E / K	90-99		3610-1033								
XTZ600 Tenere	85-90		3610-1050								
YX600 Radian	90-94	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17			
XJ650 inc Maxim and Turbo	80-86	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
TX650	73-74	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17			
XS650 / SE	75-86	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17			
XJ700 Maxim	80-	76-3032	7610-1542	7610-1542SP8	7610-1542SP14		7610-1542SP16	7610-1542SP17	7614-1542	Old Koni nr 7610-1515.	
XV700 Virago	85-97	76-3020	7610-1506	7610-1506SP8						standard height, chrome shock	
XV700 Virago	85-97	76-3020	7610-1506	7610-1506SP8						standard height, standard shock	
XV700 Virago	85-97		7610-1530	7610-1530SP8						lowers bike approx. 30mm, chrome shock	
750 DOHC	80-81	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
FZX750	87-94	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
TX750 A	72-76	76-3022	7610-1511	7610-1511SP8	7610-1511SP14		7610-1511SP16	7610-1511SP17			
XS750 / SE	77-83	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
XJ750E / F	94-86	76-3020	7610-1506	7610-1506SP8							
XJ750 Seca	81-88	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
XV750 Virago	85-98	76-3020	7610-1506	7610-1506SP8						standard height, chrome shock	
XV750 Virago	85-98	76-3020	7610-1506	7610-1506SP8						standard height, standard shock	
XV750 Virago	85-98		7610-1530	7610-1530SP8						lowers bike approx. 30mm, chrome shock	
XS850	78-83	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
XJ900S / F / N	83-94	76-3020	7610-1506	7610-1506SP8							
Bolt 942	13-16		7610-1670	7610-1670SP8	7610-1670SP14		7610-1670SP16	7610-1670SP17	7614-1670		
XV1000 Virago	85-89	76-3020	7610-1506	7610-1506SP8						standard height, chrome shock	
XV1000 Virago	85-89	76-3020	7610-1506	7610-1506SP8						standard height, standard shock	
XV1000 Virago	85-89		7610-1530	7610-1530SP8						lowers bike approx. 30mm, chrome shock	
YZF1000R1			3610-1056								
XJ1100 Maxim											
XS1100 / S	78-84	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17			
XV1100 Virago	87-99	76-3020	7610-1506	7610-1506SP8						standard height	
XV1100 Virago	87-99		7610-1530	7610-1530SP8						lowers bike approx. 30mm	
XVS1100	96-10		3610-1048								
XJR1200 / R	94-98	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		standard rate spring, standard shock	

XJR1200 / R	94-98	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17		heavy duty spring rate, standard shock	
VMax 1200, VMX 1200	85-04	76-3016	7610-1429	7610-1429SP8	7610-1429SP14		7610-1429SP16	7610-1429SP17		standard height	
VMax 1200, VMX 1200	85-04		7610-1532	7610-1532SP8	7610-1532SP14		7610-1532SP16	7610-1532SP17		lowers bike approx. 35mm	
XJR1300	98-05	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		standard rate spring, standard shock	
XJR1300	98-05	76-3009	7610-1348	7610-1348SP8	7610-1348SP14		7610-1348SP16	7610-1348SP17		standard rate spring, chrome shock	
XJR1300	98-05	76-3012	7610-1407	7610-1407SP8	7610-1407SP14		7610-1407SP16	7610-1407SP17		heavy duty spring rate, standard shock	
XV1600A Road Star	99-04		3610-1058								
ZUNDAPP											
M50 / C50Super / C50Sport / GT550 / GS50 / KS50 / K80 / KS80	72-84	76-1334								+spring220-11or215-14Theseitemsarespecialorderitems	
KS-125 / KS-175	77-83	76-1334								+spring220-11or215-14Theseitemsarespecialorderitems	